



3M™ PELTOR™ Radio DAB+ FM Headset

Product Description



HRXD7A-01



HRXD7P3E-01

The 3M™ PELTOR™ Radio DAB+ FM Headset helps protect you from potentially harmful workplace noise while at the same time enjoy listening to the built in DAB+ (Digital Audio Broadcasting) or FM radio. The clear sound of the DAB+ stations, the voice guided menu system and ability to save your favourite stations makes the hearing protector flexible and easy to work with.



Hearing protection with built-in DAB+ FM radio



Hearing protection with external audio input

Key Features

- High attenuating hearing protector
- Built in DAB+ and FM radio
- Digital station search
- Ability to store up to 10 DAB+ and 5 FM favourite stations
- Voice guided menu system to navigate the menu
- 3.5 mm listen only stereo input to connect to a cell-phone, two-way radio or other external devices (limited to 82 dB)

- Auto power off, the headset will turn off after 4 hrs of non-use to save batteries
- Low-battery voice message
- Uses two included AA alkaline batteries or the optional ACK03 rechargeable battery.

Applications

3M™ PELTOR™ Radio DAB+ FM Headset with built-in DAB+ and FM receiver can be used in noisy industrial sites as well as in fishery, farming or landscaping activities.

Standards and Approvals

Hereby, 3M Svenska AB declares that the product is in compliance with appropriate directives or regulations to fulfill the requirements for the CE marking.

The full text of the EU declaration of conformity is available at the following internet address: www.3M.com/PELTOR/DOC. A copy of the declaration of conformity and additional information required in the directives or regulations can also be obtained by contacting 3M in the country of purchase.

Headset Models

Article Number	Description	Legacy 3M ID	SAP ID
HRXD7A-01	3M™ PELTOR™ Radio DAB+ FM, black, headband	UU008197905	7100113507
HRXD7P3E-01	3M™ PELTOR™ Radio DAB+ FM, black, helmet attachment	UU008197913	7100114034

Accessories

Article Number	Description	Legacy 3M ID	SAP ID
HY82	3M™ PELTOR™ HY82 Hygiene kit	UU008567388	7100122439
FL6CE/1	3M™ PELTOR™ FL6CE/1 3.5 mm cable	XH001676952	7000108359
HY100A	3M™ PELTOR™ HY100A Clean hygiene pad	XH001651351	7100064410

Technical Data Specifications

Materials:

Headband HRXD7A-01

Headband (PVC, PA)

Headband wire (stainless steel)

Cushion (PVC foil and PUR foam)

Foam liner (PUR foam)

Cup (ABS)

Antenna (PE, ABS, TPE)

Volume knob/channel knob (PP/TPE)

Battery caplid (PP/stainless steel)

Helmet attachment/Hardhat HRXD7P3E-01

Cup supporting arm (stainless steel)

Battery type: 2xAA batteries (Alkaline)

Operating time:

Approximately 23 hours of battery lifetime (DAB-mode)

Approximately 31 hours of battery lifetime (FM-mode)

Weight (batteries incl.):

HRXD7A-01 (headband): 341 g

HRXD7P3E-01 (helmet attachment): 361 g

Operating temperature: -20°C to +55°C (battery dependent)

Storage temperature: -20°C to +55°C

Shelf life: 5 years excl. batteries

Wired connectivity: 3.5mm listen-only stereo input jack (limited to 82 dB)

Use limitation: Never modify or alter this product

Attenuation

STANDARD EN 352-1:2020

Table 1: HRXD7A-01

	f (Hz)											
	125	250	500	1000	2000	4000	8000	H	M	L	SNR	Weight
MV (dB)	16.2	25.0	33.9	35.5	32.6	34.9	33.7	33.5	31.9	24.5	32.8	341 g
SD (dB)	2.3	1.6	2.6	2.2	2.9	2.2	2.4	2.0	1.2	1.7	1.2	
APV = MV - SD . (dB)	13.9	23.4	31.3	33.3	29.7	32.7	31.3	32	31	23	32	

STANDARD EN 352-3:2020

Table 2: HRXD7P3E-01

	f (Hz)											
	125	250	500	1000	2000	4000	8000	H	M	L	SNR	Weight
MV (dB)	17.1	22.9	31.5	35.4	32.3	34.5	33.5	33.4	31.1	24.3	32.3	361
SD (dB)	3.2	2.9	3.2	2.1	2.8	2.6	2.2	2.4	1.9	2.5	1.8	
APV = MV - SD . (dB)	13.9	20.0	28.3	33.3	29.5	31.9	31.3	31	29	22	31	

In the box

- 1 x Headset
- 2 x AA batteries
- 1 x User Instruction



WARNING

Hearing Protection Products*

This hearing protector helps reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protection at all times when exposed to hazardous noise may result in hearing loss or injury.** For correct use, consult supervisor and User Instructions, or call 3M Technical Service. If your hearing seems dulled or you hear a ringing or buzzing during or after any noise exposure (including gunfire), or for any other reason you suspect a hearing problem, leave the noisy environment immediately and consult a medical professional and/or your supervisor.

Choking Hazard - Keep away from infants and small children.



CAUTION

CAUTION! Research suggests that users may receive less noise reduction than indicated by the attenuation value(s) on the packaging, due to variation in fit, fitting skill, and motivation of the user. Refer to your applicable regulations for guidance on how to adjust label values and estimate attenuation. In addition, 3M strongly recommends fit testing of hearing protectors. To learn more about hearing protection for impulse noise, please visit www.3M.com/hearing.

Warranty and Important Notice

Warranty

The warranty does not cover any damage caused by neglected maintenance or careless handling.

For more information on maintenance, please see the User Instructions.

For complete warranty condition, contact your dealer or local 3M office.

Important Notice

3M does not accept liability of any kind, be it direct or consequential (including, but not limited to, loss of profits, business and/or goodwill) arising from reliance upon any information herein provided by 3M. The user is responsible for determining the suitability of the products for their intended use. Nothing in this statement will be deemed to exclude or restrict 3M's liability for death or personal injury arising from its negligence.



Personal Safety Division

3M Svenska AB, Box 2341
SE-331 02 Värnamo
Sweden
www.3M.com/PELTOR

© 2026, 3M. DS17006, Rev. C. All rights reserved.
3M, 3M Science. Applied to Life., and PELTOR are trademarks of 3M.
All other trademarks are property of their respective owners.

Please recycle.

3M PSD products are occupational use only.